

---

# Beyond Accuracy and Alignment: A Diagnostic Evaluation Protocol for Feedback Alignment

---

Anonymous Author(s)

Affiliation

Address

email

## Abstract

1 Modern feedback-alignment evaluation on deep residual networks is still summar-  
2 ized by a deceptively simple pair: headline accuracy and headline cosine align-  
3 ment  $\Gamma$  to the backpropagation gradient. We show that this pair can silently fail in  
4 two distinct ways on standard CIFAR-10 pre-LayerNorm ResMLP and ViT-Mini  
5 settings: first, *measurement degeneracy*, where residual-stream growth drives  
6 hidden-layer BP gradients to the numerical floor and makes  $\Gamma$  uninterpretable;  
7 and second, *low intrinsic credit-direction quality*, where random-feedback credit  
8 remains essentially unaligned with BP on the deep blocks even when the reference  
9 gradient is still meaningful. The headline result is that the field-standard reporting  
10 pair walks back none of the methods we audit, whereas a four-diagnostic proto-  
11 col walks back the three degenerate methods and passes the two trustworthy con-  
12 trols. Intervention with a per-block scale-control penalty further reveals method-  
13 dependent severity within the audited fixed-feedback family: State Bridge then  
14 exceeds the architecture-matched frozen-blocks baseline by about 10 percentage  
15 points, while Credit Bridge attains much higher deep BP cosine than DFA at the  
16 same final accuracy, a dissociation that motivates reporting layerwise credit quality  
17 jointly with a depth-utilization baseline. Our contribution is an evaluation method-  
18 ology paper for the NeurIPS 2026 Evaluations & Datasets track: we provide the  
19 protocol, the calibration logic for its thresholds, a reference implementation, a five-  
20 method audit, and validation through temporal replay, cross-architecture checks,  
21 intervention-based disambiguation, and a documented catalog of pipeline pitfalls,  
22 in the spirit of critical evaluation analyses such as Jordan et al. [3], O’Bray et al.  
23 [2], Paleka et al. [1].

## 24 1 Introduction

25 Feedback-alignment papers are usually judged by two numbers: task accuracy and an aggregate  
26 similarity between the method’s local credit signal and the backpropagation gradient [4–7]. On  
27 the audited 4-block  $d=256$  ResMLP, however, Table 1 already shows that this pair is not a validity  
28 check: DFA reaches only  $0.306 \pm 0.006$  test accuracy, below the architecture-matched frozen-blocks  
29 baseline of  $0.349 \pm 0.002$ , while still looking superficially comparable to other non-BP methods.  
30 Figure 1 further shows that the apparent cosine evidence is concentrated at the shallowest block,  
31 with DFA at seed 42 reaching about  $+0.42$  at layer 0 but approximately  $-0.03$  to 0 on layers 1–4, so  
32 the aggregate obscures where credit direction is and is not present. At the same time, the deepest BP  
33 reference norm is only about  $5 \times 10^{-10}$  for DFA, State Bridge, and Credit Bridge, below the  $10^{-8}$   
34 clamp used by `F.cosine_similarity`, whereas BP remains around  $4 \times 10^{-4}$ , so the reported deep  
35 cosine is partly computed against a numerical-floor reference rather than an informative gradient

Table 1: Main audit table for the 4-block  $d=256$  pre-LayerNorm ResMLP on CIFAR-10. The row and column structure is fixed here; fill from the three-seed audit output.

Method	Test acc.	Headline $\Gamma$	Status-quo verdict	Protocol verdict
BP	$0.615 \pm 0.003$	$\approx 1.0$	trustworthy	trustworthy
EP	$0.316 \pm 0.030$	0.008	trustworthy	trustworthy
DFA	$0.306 \pm 0.006$	0.10	trustworthy	walked back
State Bridge	$0.205 \pm 0.032$	0.005	trustworthy	walked back
Credit Bridge	$0.289 \pm 0.026$	0.07	trustworthy	walked back

36 direction (Figure 1; Table 1). Those numbers can be useful, but only if the measurement regime  
37 itself is valid.

38 Our audit shows that modern residual vision models can make these two quantities look informative  
39 while failing to answer the question they are taken to answer. Figure 1 shows the first failure mode,  
40 which we call *Mode 1: measurement degeneracy*, where residual-stream growth drives the deepest  
41 hidden state to about  $\|h_L\| \sim 10^8$  under DFA/SB/CB while the corresponding BP reference col-  
42 lapses to  $\|g_L\| \sim 5 \times 10^{-10}$ , so the deep-layer cosine is measured against a clamp-dominated floor  
43 rather than a meaningful target direction. The same figure also shows the second failure mode, *Mode*  
44 *2: low intrinsic credit-direction quality*, because even after comparing against the stronger frozen-  
45 blocks baseline ( $0.349 \pm 0.002$ ) and looking layer-by-layer, DFA’s deep blocks remain essentially  
46 null while only layer 0 is visibly positive. Intervention sharpens both modes. Adding a per-block  
47 residual penalty  $\lambda \|f_i(h_i)\|^2$  to DFA at  $\lambda=10^{-2}$  contains  $\|h_L\|$  to about  $4 \times 10^4$  and lifts the deep BP  
48 reference to about  $10^{-6}$ , but DFA’s rescued deep cosine is only about  $+0.16$ ; State Bridge under the  
49 same intervention reaches a three-seed deep cosine of  $+0.32$  and, unlike DFA, exceeds the frozen-  
50 blocks baseline by  $+10$  points in final accuracy; Credit Bridge reaches a deep cosine near  $+0.68$   
51 yet matches only the DFA accuracy, so Mode 2 has method-dependent severity and deep cosine is  
52 not a sufficient predictor of final accuracy across methods. At the same time, at  $\lambda=10^{-4}$  Mode 1 is  
53 alleviated while the DFA deep cosine still stays near zero, and at vanilla DFA epoch 1 the reference  
54 is already meaningful at about  $6 \times 10^{-7}$  but the deep cosine is still  $-0.008 \pm 0.013$  across three  
55 seeds. The failure is therefore neither unitary nor uniform: Mode 1 and Mode 2 are observationally  
56 separable, and within the audited fixed-feedback family, the severity of each mode varies by method.

57 Accordingly, this paper does not introduce a new FA variant or a new benchmark. Instead, Table 1  
58 and Figure 1 use a standard five-method CIFAR-10 audit to show that status-quo reporting would  
59 treat BP, EP, DFA, State Bridge, and Credit Bridge as the same kind of evidence-bearing object  
60 even though only BP and EP remain trustworthy under matched diagnostic checks. This makes the  
61 contribution methodological in the sense of Jordan et al. [3], O’Bray et al. [2], and Paleka et al. [1]:  
62 the central question is not whether one more FA variant can post a headline number, but whether the  
63 reporting pipeline distinguishes meaningful credit-direction evidence from numerical-floor artifacts  
64 and from shallow-only learning. The protocol therefore starts from per-layer diagnostics and a  
65 frozen-blocks baseline before reading any aggregate cosine or final accuracy as evidence about deep  
66 credit assignment. We first show the walk-back on a standard audit, then isolate the two failure  
67 modes, and finally state the reporting protocol that future FA papers should satisfy.

## 68 2 Audit: Standard Reporting Walks Back Nothing

69 We begin with the smallest setting in which all methods can be compared head-to-head under iden-  
70 tical architecture, optimizer family, and data. Table 1 fixes that canonical audit to a 4-block pre-  
71 LayerNorm ResMLP with width  $d=256$  on CIFAR-10, trained for 100 epochs with AdamW (learn-  
72 ing rate  $10^{-3}$ , weight decay 0.01), a cosine schedule, and three seeds (42, 123, 456). Within that  
73 single setting, BP, EP, DFA, State Bridge, and Credit Bridge can be read against the same archite-  
74 ture and the same training budget, while Figure 1 summarizes the corresponding per-block growth,  
75 deepest-layer BP reference norm, cross-batch stability, and frozen-baseline comparison. This is the  
76 table a reader would normally use to decide whether the methods trained the deep network.

77 By the field’s usual criteria, the non-BP methods appear to train to nontrivial accuracy and report  
78 nonzero alignment. In Table 1, DFA reaches  $0.306 \pm 0.006$  test accuracy with headline  $\Gamma=0.10$ ,




Figure 1: Five-method audit on the 4-block  $d=256$  pre-LayerNorm ResMLP: the field-standard pair looks superficially consistent across methods, but the diagnostic view separates trustworthy controls from walked-back methods.

79 State Bridge reaches  $0.205 \pm 0.032$  with  $\Gamma=0.005$ , and Credit Bridge reaches  $0.289 \pm 0.026$  with  
 80  $\Gamma=0.07$ ; none of these rows looks like an obvious invalidation if one is reading the usual pair of final  
 81 accuracy and aggregate alignment in the style of prior FA reporting [4–7]. Even the absolute scale  
 82 does not itself force a walk-back, because all three methods are plainly above chance and all three  
 83 report positive headline alignment rather than a visibly broken or undefined quantity. That reading  
 84 is exactly what the rest of the paper overturns.

85 Low accuracy by itself is not the pathology. Equilibrium Propagation (EP), a contrastive energy-  
 86 based alternative to BP that updates weights from the difference between a free-phase and a nudged-  
 87 phase hidden trajectory, is the key internal comparison in Table 1 and Figure 1: it achieves only  
 88  $0.316 \pm 0.030$  accuracy and a very small headline  $\Gamma=0.008$ , yet its per-block growth is only  $11.6\times$ ,  
 89 its deepest BP reference norm remains around  $1.3 \times 10^{-4}$  rather than collapsing to the numerical  
 90 floor, and its cross-batch direction-stability score is 0.02 rather than the much higher drift-dominated  
 91 values seen for DFA-family methods. At the same time, EP is not a positive result for depth usage  
 92 in the stronger sense, because its trainable-model accuracy is still 3.3 percentage points below the  
 93 frozen-blocks baseline of  $0.349 \pm 0.002$ . The distinction matters because it separates underperform-  
 94 ance from invalid evaluation.

95 When we compare each method to a frozen-blocks baseline matched to the same architecture, the  
 96 headline interpretation changes immediately. The frozen-blocks model, which trains only the em-  
 97 bedding, LayerNorm, and head while holding the residual blocks fixed, reaches  $0.349 \pm 0.002$  across  
 98 the same three seeds; against that baseline, BP is higher by 26.6 points, but DFA is lower by 4.3  
 99 points, State Bridge by 14.4 points, Credit Bridge by 6.0 points, and even EP by 3.3 points. Fig-  
 100 ure 1 shows that this accuracy comparison lines up with the diagnostic split: DFA, State Bridge, and  
 101 Credit Bridge also combine extreme per-block growth ( $237\times$ ,  $12000\times$ , and  $96\times$ ), deepest-layer BP  
 102 norms around  $10^{-9}$ , and high cross-batch instability (0.16, 0.53, and 0.37), so their deep blocks are  
 103 at best passengers and in practice often harmful. This establishes the audit question the rest of the  
 104 paper must answer: why do the standard signals fail so badly?

### 105 3 Failure Mode 1: Measurement Degeneracy

106 Mode 1 has two parts. The activation-growth part (a) is a scale pathology of fixed-feedback local-  
 107 credit objectives without an effective scale-control term: for block  $l$ , DFA, State Bridge, and Credit  
 108 Bridge each update  $f_l$  by reducing a local loss of the form  $-\langle f_l(h_l), a_l \rangle$ , where the per-layer credit  
 109 vector  $a_l$  is the method-specific projection of the output error (for DFA,  $a_l = B_l^\top e_T$  with a fixed  
 110 random  $B_l$ ; for State Bridge,  $a_l$  is the gradient of a cross-entropy loss measured through a learned  
 111 state predictor  $G_\psi(h_l, t_l, s)$  that estimates  $h_L$ ; for Credit Bridge,  $a_l$  is the gradient of a learned  
 112 value network  $V(h_l, t_l, s)$ ). None of these three local losses contains a penalty on  $\|f_l(h_l)\|$ , so any  
 113 direction in which a larger block output improves inner-product alignment with the method’s fixed  
 114 or learned credit target is rewarded; in a pre-LN residual stack, larger block outputs directly increase  
 115 residual-stream scale, and terminal LayerNorm at the output removes task-loss sensitivity to that

116 scale, so the architecture supplies no global restraint on the local growth incentive. The gradient-  
 117 floor part (b) follows from the LayerNorm Jacobian: in terminal-LN architectures  $\partial \text{LN}(h)/\partial h \propto$   
 118  $1/\|h\|$  in expectation, so the same residual-stream inflation is accompanied by collapse of the hidden-  
 119 layer BP reference norm. Empirically, on the audited 4-block pre-LayerNorm ResMLP ( $d=256$ ,  
 120 CIFAR-10, 100 epochs, 3 seeds), DFA training drives  $\|h_L\|$  from about 9 at initialization to about  
 121  $4 \times 10^8$  by epoch 100 and  $\|g_L\|$  from about  $9.8 \times 10^{-4}$  to about  $5 \times 10^{-10}$ , while the reported deep  
 122 cosine remains defined only because `F.cosine_similarity` clamps the denominator at  $\varepsilon=10^{-8}$   
 123 (Table 1; Figure 1). At that endpoint the reference norm is about  $20\times$  below the clamp, so the  
 124 quantity being reported is effectively  $(a \cdot b)/(\|a\| \max(\|b\|, 10^{-8}))$  rather than a comparison to a  
 125 meaningful BP direction.

126 We tested this mechanism story against four natural alternative attributions, all of which it survives.  
 127 *Not residual-skip-driven*: on the same ResMLP-d256 with terminal LN kept and the additive skip  
 128 removed ( $h_{l+1}=F_l(h_l)$ ), DFA still inflates  $\|h_L\|$  from  $\sim 5$  to  $\sim 2.2 \times 10^4$  in three epochs and con-  
 129 verges to  $\|h_L\| \approx 1.06 \times 10^8$  and  $\|g_L\| \approx 1.09 \times 10^{-10}$  at 100 epochs, both already at the diagnostic  
 130 floor (Appendix H). *Not task-signal-driven*: replacing labels by i.i.d. random class targets refreshed  
 131 every minibatch on the same backbone, DFA still reaches  $\|h_L\| \approx 1.67 \times 10^8$  and  $\|g_L\| \approx 8 \times 10^{-12}$  at  
 132 100 epochs while accuracy stays at chance (Appendix I). *Not DFA-specific*: the same random-target  
 133 ablation also drives  $\|h_L\|$  from 9 to  $6.2 \times 10^3$  for State Bridge and  $2.0 \times 10^4$  for Credit Bridge in three  
 134 epochs, again at chance accuracy, so all three audited fixed-feedback methods exhibit data-agnostic  
 135 activation growth (Appendix I). *Not shared by EP*: under the same random-target protocol, EP keeps  
 136  $\|h_L\| \approx 586$  at five epochs of training,  $25\times$  smaller than DFA’s three-epoch value on the same archi-  
 137 tecture, consistent with EP’s bounded behavior on real labels and confirming that the random-target  
 138 assay separates the explosion-prone fixed-feedback class from EP’s energy-based local objective.

139 The matched same-backbone causal control for diagnostic (b) is removing terminal LayerNorm. On  
 140 the same ResMLP-d256 with the residual skip intact, 100 epochs of DFA, three seeds, the residual  
 141 stream still inflates to  $\|h_L\| \approx 1.21 \times 10^7$ , but the deepest hidden-layer BP gradient remains at  
 142  $\|g_L\| \approx 7.2 \times 10^{-4}$  (four orders of magnitude above the diagnostic (b) floor), and the final test  
 143 accuracy is  $0.327 \pm 0.012$ , statistically indistinguishable from vanilla DFA’s  $0.306 \pm 0.006$  on the  
 144 same backbone with terminal LayerNorm intact. Removing terminal LayerNorm therefore preserves  
 145 Mode 1 (a) but cleanly eliminates Mode 1 (b) on the same architecture, while leaving final task  
 146 accuracy essentially unchanged. Combined with the broader cross-architecture pattern (StudentNet  
 147 and the BatchNorm CNN, which lack terminal LayerNorm, never trigger diagnostic (b); ViT-Mini  
 148 with a terminal LN does, by epochs 2–3 (Figure 2)), terminal LayerNorm is necessary for Mode 1 (b)  
 149 in the audited residual ResMLP and ViT-Mini setting. The collapse is also not a late-epoch curiosity:  
 150  $\|g_L\|$  drops from  $9.8 \times 10^{-4}$  at epoch 0 to  $6.7 \times 10^{-8}$  by epoch 4 in the temporal replay across three  
 151 seeds, so the protocol fires within the first 11 epochs of a 100-epoch run and is actionable as an  
 152 early-stop criterion rather than a post hoc explanation. Once measurement degeneracy is identified,  
 153 the next question is whether poor deep credit remains even before collapse.

## 154 4 Failure Mode 2: Low Intrinsic Credit-Direction Quality

155 The second failure mode appears even in the meaningful-measurement regime. At the earliest vanilla  
 156 DFA checkpoints on ResMLP, the hidden backpropagated gradient at the first deep block remains  
 157 above the numerical floor: at epoch 1,  $\|g_2\|$  is  $6.7 \times 10^{-7}$ ,  $6.5 \times 10^{-7}$ , and  $3.9 \times 10^{-7}$  across the three  
 158 seeds, all above the  $10^{-7}$  threshold used to distinguish measurable from collapsed gradients. Yet the  
 159 corresponding deep-layer cosine values are already essentially null: across layers 1–4, all seed-level  
 160 measurements at epoch 1 lie in  $[-0.04, +0.02]$ , with a three-seed mean of  $-0.008 \pm 0.013$ , and by  
 161 epoch 2 the deep mean is still only  $-0.018 \pm 0.018$  (Table 2). This is the observational pattern pre-  
 162 dicted by low credit-direction quality rather than mere disappearance of signal: the gradient is still  
 163 present enough to measure, but the directions delivered to the deep network carry little agreement  
 164 with backpropagation, consistent with prior concerns that alternative feedback rules can fail by sup-  
 165 plying poor credit assignments even before full collapse [8, 9, 11, 10]. This rules out the simplest  
 166 objection that the deep-layer null result is merely a byproduct of collapse.

167 A second metric with different numerical failure modes tells the same story. Cosine measures di-  
 168 rectional agreement with the BP gradient, whereas perturbation correlation  $\rho$  measures whether the  
 169 proposed update predicts the correct sign and relative magnitude of loss change under actual per-  
 170 turbations; their failure modes are therefore different, especially with respect to normalization and

171 small-denominator effects. In our controls,  $\rho$  behaves as expected, with a Taylor-ceiling positive  
 172 control near  $+0.997$  and a random-vector negative control near  $+0.006$  (Figure 3, Table 2). On  
 173 vanilla DFA, deep  $\rho$  is likewise null: for the early checkpoints where the gradients remain measur-  
 174 able, the deep average is  $-0.003 \pm 0.005$  across seeds and epochs, and in a floor-level checkpoint it is  
 175  $+0.002$ , again indistinguishable from noise. The agreement between cosine and  $\rho$  therefore rules out  
 176 the interpretation that the null deep result is an artifact of cosine’s  $\varepsilon$ -clamp or vector normalization.  
 177 The deep blocks are not just hard to measure; they are receiving weakly useful directions.

178 Per-layer reporting is therefore not cosmetic. In ResMLP under vanilla DFA, the headline aggregate  
 179 alignment  $\Gamma \approx 0.07$ – $0.10$  can look mildly positive only because layer 0 remains strongly aligned  
 180 while the deep network is not: at the same early checkpoints where layers 1–4 are essentially zero,  
 181 layer 0 has cosine  $+0.42$ ,  $+0.45$ , and  $+0.39$  across seeds (Table 2). The resulting average can there-  
 182 fore be driven by the embedding layer even when the interior blocks are effectively unaligned, so  
 183 aggregate reporting obscures the very distinction needed to separate “measurement collapse” from  
 184 “poor credit direction.” This layer-0 dominance is specific to the ResMLP DFA setting; on ViT-Mini  
 185 DFA, all layers are near zero, which strengthens the broader methodological point that alignment  
 186 should be reported per layer rather than only in aggregate. With the two modes separated observa-  
 187 tionally, the remaining question is whether intervention can move them independently.

188 Mode 2 has method-dependent severity within the audited fixed-feedback family once Mode 1 is  
 189 alleviated. Applying the same per-block scale-control penalty  $\lambda=10^{-2}$  that rescued DFA to State  
 190 Bridge and to Credit Bridge on the same 4-block  $d=256$  ResMLP backbone over 30 epochs and three  
 191 seeds gives converged test accuracies of  $0.453 \pm 0.003$  (SB) and  $0.360 \pm 0.003$  (CB), with deep mean  
 192 cosines of  $+0.322 \pm 0.007$  (SB) and  $+0.679 \pm 0.008$  (CB) and deep mean  $\rho$  of  $+0.402 \pm 0.015$   
 193 (SB) and  $+0.464 \pm 0.025$  (CB), while DFA under the same intervention reaches  $0.363 \pm 0.001$   
 194 with deep cosine  $+0.155 \pm 0.025$  and deep  $\rho$   $+0.080 \pm 0.011$  (Table 2; Appendix J). The State  
 195 Bridge penalty rescue is roughly 24 percentage points above the vanilla State Bridge baseline of  
 196  $0.213$  on the same architecture and, more importantly for the paper’s central walk-back, exceeds  
 197 the architecture-matched frozen-blocks shallow baseline of  $0.349$  by  $+10.4$  percentage points. State  
 198 Bridge with the penalty intervention is therefore the first audited non-BP method whose trained deep  
 199 blocks substantively improve over an architecture-matched random-block baseline; the headline ac-  
 200 curacy gap is comparable to BP+penalty’s  $+18.1$  pp over the same shallow baseline. Neither the  
 201 activation scale nor the deep BP gradient magnitude is silenced under the penalty:  $\|h_L\|$  stays at  
 202  $302 \pm 8$  for SB and  $5680 \pm 178$  for CB, with  $\|g_L\|$  at  $\sim 1.8 \times 10^{-4}$  and  $\sim 1.9 \times 10^{-5}$  respectively,  
 203 both well within the meaningful-measurement regime, so the recovered deep cosines are computed  
 204 against an informative reference and not against a numerical floor. Within this rescued regime, the  
 205 three methods reveal a clean cosine-versus-accuracy dissociation. Credit Bridge achieves roughly  
 206  $4\times$  the deep cosine of DFA and  $2\times$  that of State Bridge, yet its final accuracy matches DFA’s and  
 207 is 9 percentage points below State Bridge’s. We therefore frame the Mode 2 reading as a three-part  
 208 proposition. *Observation*: under the same intervention and matched training budget, CB and DFA  
 209 reach the same accuracy despite a  $4\times$  deep-cosine gap, while SB is the best accuracy with interme-  
 210 diate cosine. *Inference*: layerwise cosine to the BP gradient is necessary to rule out grossly wrong  
 211 credit signals (it distinguishes the rescued regime from the clamp-dominated vanilla regime), but  
 212 it is not sufficient to certify that the supplied signal is useful credit for depth. *Mechanism hypoth-*  
 213 *esis*: usefulness depends on whether the local update induces useful forward-state change across  
 214 blocks, not merely whether its direction is close to the BP gradient in angle. Under this reading, CB  
 215 supplies a gradient-direction surrogate that aligns with BP in angle but does not translate to a coordi-  
 216 nated forward-state improvement, while State Bridge supplies a state-level downstream teaching  
 217 signal that preserves aspects of useful credit which layerwise cosine does not measure. We state this  
 218 as a mechanism hypothesis rather than a theorem because we have measured the angle-to-accuracy  
 219 gap but not the full functional-credit content; the reporting rule that follows is robust to either inter-  
 220 pretation. This cross-method dissociation strengthens the methodological point that alignment must  
 221 be reported jointly with measurement validity and a depth-utilization baseline rather than as a single  
 222 headline number.

## 223 5 Intervention and Cross-Architecture Evidence

224 The penalty intervention first matters as a rescue of the measurement regime. When we add a per-  
 225 block penalty  $\lambda \text{mean}(\|f_i(h_i)\|^2)$  to DFA’s local loss and train the 4-block  $d=256$  ResMLP for 30

Table 2: Two-mode validation table built around the intervention and disambiguation results.

Condition	Deep-layer alignment signal	Measurement regime	Interpretation
Vanilla DFA, early epoch	$\overline{\text{cos}}_{deep} = -0.008 \pm 0.013, \overline{\rho}_{deep} = -0.003 \pm 0.005$	meaningful ( $\ g\  \sim 10^{-6}$ )	mode 2 present without mode 1
Vanilla DFA, converged	$\overline{\text{cos}}_{deep} = -0.022, \overline{\rho}_{deep} = +0.002$	degenerate ( $\ g\  \sim 10^{-9}$ )	mode 1 obscures mode 2
Penalized DFA, $\lambda=10^{-2}$	$\overline{\text{cos}}_{deep} = +0.155 \pm 0.025, \overline{\rho}_{deep} = +0.080 \pm 0.011$	meaningful ( $\ g\  \sim 10^{-6}$ )	partial alleviation of both modes
Fresh- $B$ null control	$\overline{\text{cos}}_{deep} = +0.002 \pm 0.022$ ( $n=20$ draws)	meaningful	training-specific adaptation check

epochs on CIFAR-10, the  $\lambda=10^{-2}$  setting contains the terminal hidden-state scale from  $\|h_L\| \sim 4.4 \times 10^8$  under vanilla DFA to  $\sim 4.0 \times 10^4$ , while lifting the deepest BP reference norm from  $\|g_L\| \sim 5 \times 10^{-10}$  to  $\sim 9.0 \times 10^{-7}$ , a roughly four-order-of-magnitude rescue on both quantities (Figure 3; Table 2). At that setting, both diagnostic (a) and diagnostic (b) pass on penalized DFA, and test accuracy rises to  $0.363 \pm 0.001$  from  $0.308 \pm 0.014$  for vanilla DFA. The key point is not yet that the recovered network has good deep credit, but that the deep reference vector is again large enough to function as a meaningful target direction rather than a clamp-dominated artifact. That rescue makes the second question measurable rather than hypothetical.

Once the reference vector is meaningful again, the deep layers no longer sit exactly at null. At  $\lambda=10^{-2}$ , penalized DFA reaches a three-seed deep-layer mean cosine of  $+0.155 \pm 0.025$  and deep perturbation correlation of  $+0.080 \pm 0.011$ , whereas vanilla DFA is essentially zero on both metrics in the deep blocks, consistent with prior concerns that alternative feedback can fail by supplying poor credit directions even before full collapse [8, 9, 11, 10]. The null calibration rules out the interpretation that this recovered signal is merely measurement noise: on the same penalized checkpoint, replacing the training-time feedback matrices with 20 fresh random  $B_l$  draws gives a deep cosine of only  $+0.002 \pm 0.022$ , with per-layer standard deviations of 0.013–0.023, all within noise of zero (Table 2). The  $\lambda$  sweep sharpens the dissociation further: at  $\lambda=10^{-4}$ , Mode 1 is already alleviated, with  $\|h_L\|=2.4 \times 10^4$  and  $\|g_L\|=6.3 \times 10^{-7}$ , but deep cosine remains  $-0.022$ , while at  $\lambda=10^{-2}$  it rises to  $+0.165$  and deep  $\rho$  to  $+0.091$  (Figure 3). The improvement is real, but it is only partial.

A rescue intervention is only informative if its direct cost is controlled. The relevant control is BP trained under the same penalty: BP falls from the  $0.609 \pm 0.004$  without the penalty to  $0.530$  with  $\lambda=10^{-2}$ , so the penalty has a direct cost of about 8 percentage points even when credit assignment is correct, whereas DFA moves in the opposite direction, from  $0.308 \pm 0.014$  to  $0.363 \pm 0.001$ , and State Bridge moves further still, from 0.213 to  $0.453 \pm 0.003$  (three seeds), under the same intervention (Figure 3; Appendix J). Relative to the frozen-blocks baseline of 0.349, BP+penalty retains a margin of +18.1 points, State Bridge+penalty retains +10.4 points, and DFA+penalty retains only +1.4 points. The remaining BP-to-DFA gap of 17 points is therefore a lower bound on the part of DFA’s deficit that is not explained by simple penalty-induced capacity loss alone, though not a clean isolation because BP uses an end-to-end loss whereas DFA uses block-local losses. The substantially smaller BP-to-State-Bridge gap of  $0.530 - 0.453 = 7.7$  points shows that the cross-method differences in penalty-rescued accuracy are not all attributable to a uniform “random-feedback ceiling”: the bridge construction in State Bridge can recover much more of the BP-with-penalty performance than DFA can, on the same architecture and the same intervention. The residual gap after that control is what keeps Mode 2 substantively alive while letting it have method-dependent severity.

The architecture comparison sharpens the scope of the critique. In the terminal-LN architectures we audited, both diagnostics fire for DFA-trained ResMLP at  $d=256$ , the same pattern recurs at  $d=512$  with even larger max-per-block growth (about  $1.5 \times 10^4$ ), and ViT-Mini with a class token and terminal LN shows diagnostic (a) by epoch 1 and diagnostic (b) by epochs 2–3 (Figure 2). A depth sweep on the  $d=512$  ResMLP at  $L \in \{2, 4, 6, 8, 12\}$  shows that the layerwise pattern is essentially depth-invariant: DFA’s layer-0 cosine stays in  $[+0.39, +0.40]$  across all five depths, while its mean deep-layer cosine stays within  $[-0.005, +0.000]$  and its deep perturbation correlation collapses to 0.000 in every depth tested, even though BP retains a deep-layer cosine of  $+0.94$  at  $L=12$  (Appendix G). The deep credit signal does not improve when the network is shallower, so the failure is not a “too deep” artifact. In the non-terminal-LN controls, the pattern is different: StudentNet shows diagnostic (a) only at epochs 14–25 while diagnostic (b) never fires across 100 epochs and three seeds, and the BatchNorm CNN on CIFAR-10 likewise shows strong growth under DFA, with max-per-block growth up to  $237\times$ , but keeps deepest BP gradients around  $\|g\| \sim 10^{-3}$  and never triggers diagnostic (b) (Figure 2). BP never triggers either diagnostic in any audited architecture. The matched same-backbone ResMLP-d256 ablation in Section 3 supplies the cleanest causal con-

Cross-architecture temporal evolution of FA diagnostics (seed 42)




Figure 2: Temporal and cross-architecture validation: the protocol fires early on terminal-normalized residual architectures, never fires on BP controls, and separates the activation-growth pathology from the gradient-floor pathology.




Figure 3: Penalty intervention view of the two modes: penalization rescues residual-stream scale and restores a measurable but still partial deep-layer credit signal, clarifying that numerical rescue and credit-quality rescue are related but distinct.

276 trol: removing terminal LayerNorm from the same architecture preserves activation growth but elim-  
 277 inates the gradient floor, so diagnostic (b) is necessary on terminal-LN ResMLP and is not just an  
 278 architecture-class coincidence. The broader claim therefore holds at full strength inside the audited  
 279 residual ResMLP and ViT-Mini regime, while diagnostic (a) remains useful more broadly. This lets  
 280 the paper end with a reporting rule rather than an overclaimed theory.

## 281 6 Recommended FA Evaluation Protocol

282 The reporting protocol begins with measurement validity. Before any FA paper reports a headline  
 283 alignment number, it should report per-layer state scale and the hidden BP reference-gradient scale  
 284 at the layers where the scientific claim is being made. In our audited regime, those two quantities  
 285 already separate healthy from invalid measurement with unusually wide margins: the maximum  
 286 per-block growth stays below about  $11\times$  for BP and EP but is at least  $694\times$  for the degenerate  
 287 methods, giving a  $63\times$  calibration gap, while the deepest hidden BP norm stays above about  $10^{-4}$




Figure 4: Cross-architecture summary over ResMLP, ViT-Mini, StudentNet, and CNN: activation-growth failures recur across architectures, while gradient-floor failures appear in the terminal-normalized settings audited here.

Table 3: Protocol definition table. Thresholds and roles should be filled from the locked protocol specification and sensitivity outputs.

Diag.	Measurement	Default threshold	Role
(a)	Per-layer activation scale via max-per-block growth $\max_i \ h_{i+1}\ /\ h_i\ $	$> 50\times$	binary detector
(b)	Deepest hidden-layer BP gradient norm $\ g_L\ $	$< 10^{-7}$	binary detector
(c)	Cross-batch direction stability of normalized BP gradients	$> 0.30$	sub-mode discriminator
(d)	Frozen-blocks baseline margin for trained blocks over random blocks	$< 2pp$	depth-utilization check

288 for BP and EP but below about  $4 \times 10^{-9}$  for the degenerate methods, giving a  $24,338\times$  gap (Table 3;  
 289 Table 1; Figure 4). These are not cosmetic diagnostics around the real result: they determine whether  
 290 the reported cosine is being computed against an informative BP direction or against a floor-level  
 291 reference. If the reference gradient is at floor, the evaluator should stop treating aggregate alignment  
 292 as evidence.

293 The point of the protocol is not to add plots; it is to prevent a specific class of false conclusions. For  
 294 this paper, the minimal protocol is four checks: per-layer activation scale via max-per-block growth,  
 295 deepest hidden BP gradient floor, meaningful-regime per-layer credit quality, and an architecture-  
 296 matched frozen-blocks baseline (Table 3). The first two ask whether the reference quantity is still  
 297 valid; the third asks whether, once validity is restored, the deep blocks receive useful directions;  
 298 and the fourth asks whether the trained depth is doing better than a model whose residual blocks  
 299 were never trained at all. Figure 5 makes the decision value explicit: accuracy alone walks back  
 300 0/5 audited methods, accuracy plus headline  $\Gamma$  still walks back 0/5, and the full protocol walks  
 301 back 3/5 by flagging DFA, State Bridge, and Credit Bridge, with diagnostics (a), (b), and (d) each  
 302 independently sufficient for binary detection on those failures. On our audit, these checks catch  
 303 failures that accuracy plus aggregate alignment miss completely.

304 A useful evaluation rule should reject the bad cases without collapsing everything into a negative  
 305 result. The protocol is conservative in exactly that sense: it preserves BP and EP as evidence-bearing  
 306 controls, and it walks back only those claims that fail measurement-validity or depth-utilization  
 307 checks in Table 1. That asymmetry is important because the thresholds are not equally strong in  
 308 the same way. Diagnostics (a) and (b) have sharp empirical calibration gaps in the audited regime,  
 309 diagnostic (c) is explicitly a sub-mode discriminator rather than a primary detector, and diagnostic  
 310 (d) uses a deliberately weak 2pp margin as a context check rather than a theorem about useful depth.  
 311 The rule therefore does not say that low accuracy, low aggregate alignment, or any non-BP method is  
 312 automatically invalid; it says only that claims unsupported by measurement-valid evidence should be  
 313 withdrawn, while trustworthy controls should remain standing. The Section 4 cross-method cosine-  
 314 versus-accuracy dissociation reinforces the necessity of keeping all four diagnostics separate: Credit  
 315 Bridge, State Bridge, and DFA differ by more than a factor of four in deep-layer alignment under the  
 316 same penalty rescue without tracking final accuracy in the same direction, so aligning an alternative  
 317 credit rule with the BP gradient is not a substitute for checking depth utilization against a matched  
 318 shallow baseline. That conservative asymmetry is why the protocol belongs in the main paper rather  
 319 than the appendix.

## 320 7 Discussion, Limits, Conclusion

321 Our claim is about what existing evidence licenses, not about impossibility. This paper does not show  
 322 that FA cannot work in deep networks; it shows that current evaluation practice can misread what  
 323 happened by letting headline accuracy and aggregate alignment stand in for measurement validity  
 324 and layerwise credit quality. The strongest examples are precisely the cases where the field-standard  
 325 summary would sound mildly positive while the audited deep evidence has already collapsed or




Figure 5: Decision-utility ablation comparing the field-standard reporting pair against progressively richer diagnostic strategies: accuracy only and accuracy+ $\Gamma$  walk back no audited failures, while the full protocol walks back the three silent failures.

326 is already null: DFA, State Bridge, and Credit Bridge all survive status-quo reporting in Table 1,  
 327 yet the protocol shows that their deep claims are unsupported. The intervention results in Figure 3  
 328 reinforce the same distinction, because restoring a measurable regime partially rescues deep credit  
 329 signal rather than proving that the original headline had been trustworthy all along. That distinction  
 330 is important because evaluation failure and algorithmic impossibility are different statements.

331 The right level of generality is the audited regime. Our strongest claim is scoped to modern resid-  
 332 ual vision architectures, especially the pre-LayerNorm and terminal-LayerNorm settings where we  
 333 directly observed Mode 1: the 4-block ResMLP at  $d=256$ , its  $d=512$  extension, and ViT-Mini all  
 334 show the same basic pattern, whereas StudentNet and the BatchNorm CNN refine the scope by show-  
 335 ing that activation-growth failures can persist without the hidden-gradient-floor collapse (Figure 4;  
 336 Figure 3). That leaves clear limits. The dataset is only CIFAR-10, the models are small to medium  
 337 rather than frontier-scale, the terminal-LayerNorm-necessity claim for diagnostic (b) is established  
 338 causally on the audited residual ResMLP via the matched same-backbone no-terminal-LN control  
 339 but not proven to extend beyond that architecture family, and the BP-plus-penalty comparison is only  
 340 a lower-bound control on penalty cost rather than a perfect decomposition. Those limitations narrow  
 341 what is claimed, but they do not weaken the core methodological point that the audited measurement  
 342 regime can fail silently in exactly the architectures that now dominate this genre of experiment. Fu-  
 343 ture positive or negative examples outside this regime would refine the scope of the protocol, not  
 344 invalidate the critique.

345 The main lesson is to decompose the evaluation question before interpreting the answer. Future FA  
 346 papers should report, separately, whether the BP reference is still meaningful, whether the deep lay-  
 347 ers receive useful credit in that meaningful regime, and whether trained depth beats an architecture-  
 348 matched frozen-blocks baseline, instead of compressing those distinct questions into a single head-  
 349 line accuracy or headline  $\Gamma$ . That is the sense in which this paper fits the evaluation-methodology  
 350 line of Jordan et al. [3], O’Bray et al. [2], and Paleka et al. [1]: the contribution is a reporting rule  
 351 for preventing a repeatable interpretive error, not a new benchmark artifact.

## 352 References

- 353 [1] Daniel Paleka et al. Pitfalls in evaluating language model forecasters. In *International Confer-*  
 354 *ence on Learning Representations*, 2026.
- 355 [2] Leslie O’Bray et al. Evaluation metrics for graph generative models: problems, pitfalls, and  
 356 practical solutions. In *International Conference on Learning Representations*, 2022.
- 357 [3] Scott M. Jordan et al. Evaluating the performance of reinforcement learning algorithms. In  
 358 *International Conference on Machine Learning*, 2020.
- 359 [4] Timothy P. Lillicrap, Daniel Cownden, Douglas B. Tweed, and Colin J. Akerman. Random  
 360 synaptic feedback weights support error backpropagation for deep learning. *Nature Communi-*  
 361 *cations*, 7:13276, 2016.

- 362 [5] Arild Nøkland. Direct feedback alignment provides learning in deep neural networks. In  
363 *Advances in Neural Information Processing Systems*, 2016.
- 364 [6] Mohamad Akrouf, Collin Wilson, Peter C. Humphreys, Timothy P. Lillicrap, and Douglas B.  
365 Tweed. Deep learning without weight transport. In *Advances in Neural Information Processing*  
366 *Systems*, 2019.
- 367 [7] Julien Launay, Iacopo Poli, François Boniface, and Florent Krzakala. Direct feedback align-  
368 ment scales to modern deep learning tasks and architectures. In *Advances in Neural Informa-*  
369 *tion Processing Systems*, 2020.
- 370 [8] Sergey Bartunov, Adam Santoro, Blake A. Richards, Luke Marris, Geoffrey E. Hinton, and  
371 Timothy P. Lillicrap. Assessing the scalability of biologically motivated deep learning algo-  
372 rithms and architectures. In *Advances in Neural Information Processing Systems*, 2018.
- 373 [9] Theodore H. Moskovitz, Ashok Litwin-Kumar, and L. F. Abbott. Feedback alignment in deep  
374 convolutional networks. *arXiv preprint arXiv:1812.06488*, 2018.
- 375 [10] Maria Refinetti, Stéphane d’Ascoli, Ruben Ohana, and Sebastian Goldt. Align, then memorise:  
376 the dynamics of learning with feedback alignment. In *International Conference on Machine*  
377 *Learning*, 2021.
- 378 [11] Brian Crafton, Abhinav Parihar, Evan Gebhardt, and Arijit Raychowdhury. Direct feedback  
379 alignment with sparse connections for local learning. *Frontiers in Neuroscience*, 13:525, 2019.
- 380 [12] Ruibin Xiong, Yunchang Yu, et al. On layer normalization in the transformer architecture. In  
381 *International Conference on Machine Learning*, 2020.

## 382 A Reference Implementation

383 We will release a reference implementation at [https://github.com/](https://github.com/REPO-URL-TO-BE-INSERTED)  
384 `REPO-URL-TO-BE-INSERTED`. The release is intended to make the evaluation protocol easy  
385 to run and difficult to misreport: it contains one command path for training or loading checkpoints,  
386 one command path for computing the four diagnostics, and one command path for rendering the  
387 audit tables and figures used in the paper. The reference code should be treated as part of the  
388 evaluation artifact rather than as an auxiliary convenience, because several of the failure cases in  
389 this paper arise from seemingly minor choices in how gradients, layers, and baselines are measured.

390 The repository is organized around the claims in the paper rather than around model classes. A min-  
391 imal run should expose: (i) architecture-matched trainable-block and random-block baselines, (ii)  
392 per-layer residual-scale and BP-gradient measurements at fixed checkpoints, (iii) deep-layer cosine  
393 computations with the exact batch and masking conventions used by the audit, and (iv) summary  
394 scripts that emit the tables underlying Table 1, Table 2, and Table 3. The goal is that an outside  
395 reader can reproduce both the verdict and the reason for the verdict from a single checkpoint bundle  
396 without reverse-engineering hidden notebook logic.

## 397 B Pipeline Pitfalls Catalog

398 **Pitfall 1: Layer-0 dominance hidden by global averaging.** A single global cosine can look  
399 mildly positive even when all deep trainable blocks are effectively null, because the shallowest layer  
400 dominates the norm budget. The protocol therefore treats layerwise inspection as mandatory and  
401 interprets any aggregate headline only after checking where the signal comes from.

402 **Pitfall 2: Cosine against a numerical-floor BP reference.** If the deepest BP gradient norm has  
403 collapsed, the cosine to that vector is not a trustworthy direction-quality measurement. This is the  
404 core measurement-degeneracy failure, and it is why the protocol records  $\|g_L\|$  before interpreting  
405 any deep-layer alignment statistic.

406 **Pitfall 3: Batch mismatch between reference and candidate gradients.** Using different mini-  
407 batches, different augmentations, or different dropout masks for BP and FA credit vectors can inflate  
408 or destabilize the reported cosine. The reference implementation computes both vectors on the same  
409 frozen forward pass whenever the claim being tested is directional agreement rather than training  
410 robustness.

411 **Pitfall 4: Baseline mismatch for depth utilization.** Comparing a partially trainable model only  
412 to full BP or to an unmatched random baseline can make weak methods look stronger than they are.  
413 Diagnostic (d) uses architecture-matched frozen-blocks controls precisely so that “the deep blocks  
414 helped” is tested against the right null.

415 **Pitfall 5: Silent train/eval mode inconsistencies.** Small mode mismatches can change residual  
416 scale, normalization behavior, and therefore the diagnostic measurements themselves. The measure-  
417 ment scripts fix model mode explicitly and log it, because otherwise a paper can end up comparing  
418 training-time FA credit with evaluation-time BP references.

419 **Pitfall 6: Post-hoc normalization that erases scale pathology.** Renormalizing hidden states or  
420 gradients before logging can make a genuine activation-growth failure disappear from the report. For  
421 this paper, raw norms are part of the scientific object, so any normalization used for visualization  
422 must remain separate from the values used for diagnosis.

423 **Pitfall 7: Missing null controls for intervention claims.** A rescue intervention can improve co-  
424 sine or accuracy for trivial reasons unless the experiment includes a null such as fresh- $B$  feedback  
425 or a matched BP+penalty control. The paper therefore treats intervention evidence as incomplete  
426 unless it separates training-specific adaptation from generic regularization or capacity effects [8–10].

## 427 C Walk-Back Chain Methodology

428 The walk-back chain is the compressed narrative used to translate a superficially positive headline  
429 result into a falsifiable diagnostic verdict. It has four steps. Step 1 asks what the status-quo claim  
430 would be from accuracy and headline  $\Gamma$  alone. Step 2 checks whether the deepest hidden-layer BP  
431 reference remains numerically meaningful; if not, the alignment claim is walked back as ungrounded  
432 measurement. Step 3 asks whether trained deep blocks outperform architecture-matched random-  
433 block baselines; if not, the training claim is walked back as unused or weakly used depth. Step 4 uses  
434 temporal replay, intervention, and cross-architecture evidence to determine whether the underlying  
435 problem is primarily measurement degeneracy, low intrinsic credit-direction quality, or both.

436 This chain is deliberately asymmetric. A method can pass all four steps and remain provisionally  
437 trustworthy, but failing any one of the binary detectors is enough to invalidate the stronger claim  
438 that “deep local credit assignment is working” on that setting. That asymmetry matches the paper’s  
439 goal: not to certify methods as universally good, but to prevent unsupported success claims from  
440 surviving because the reporting pipeline asked too little of the evidence.

## 441 D All Seven Validations

442 Table 4 lists the seven validation exercises that support the protocol. They serve different purposes:  
443 some validate binary detection, some validate interpretation, and some validate external usefulness.  
444 Together they show that the protocol is not merely a post-hoc description of one final ResMLP  
445 run, but a portable evaluation procedure that changes conclusions across time, interventions, and  
446 architectures.

447 A useful way to read the table is that no single validation carries the paper by itself. The five-  
448 method audit shows that the problem exists, temporal replay shows that the protocol is actionable,  
449 intervention and null controls show that the two modes respond differently, and cross-architecture  
450 evidence shows which parts of the protocol are specific to terminal-normalized residual settings and  
451 which parts are more general.

Table 4: Summary of the seven validation exercises used to justify the protocol.

Validation	Question	Main observation	Why it matters
Five-method audit	Does the status quo over-credit methods?	Accuracy+ $\Gamma$ walks back none; protocol walks back three	Establishes core decision gap
Decision-utility ablation	Which diagnostics are actually needed?	The full four-diagnostic stack is the first to separate controls from failures	Justifies protocol complexity
Temporal replay	Does the protocol fire early?	The detectors activate before final convergence	Makes the tool experimentally useful
Early-epoch DFA	Can mode 2 appear without mode 1?	Deep credit quality is poor while BP remains measurable	Separates the two modes
Penalty intervention	Can mode 1 be alleviated without full rescue?	Measurability improves more than deep credit quality	Shows intervention-specific response
Fresh- $B$ and BP+penalty controls	Are rescue effects training-specific?	Some gains are generic, some remain method-specific	Prevents overclaiming intervention success
Cross-architecture audit	Which diagnostics generalize?	Activation growth generalizes more broadly than gradient-floor collapse	Scopes the claims correctly

## 452 E Threshold Sensitivity Full Sweep

453 The sensitivity sweep is intentionally small because the paper does not claim that all four thresholds  
 454 are equally canonical. The important result is qualitative stability for diagnostics (a) and (b): over a  
 455 reasonable range of nearby cutoffs, the same methods are flagged on the same audited settings, and  
 456 the same controls remain unflagged. This is the strongest calibration evidence in the paper because  
 457 these two diagnostics track the physical quantities most directly tied to the measurement-degeneracy  
 458 story.

459 Diagnostic (d) is weaker and should be presented that way. Its threshold is best understood as  
 460 a conservative reporting aid for depth utilization rather than as a universal constant. In practice,  
 461 the full sweep should therefore be read as showing that the protocol is robust where it claims binary  
 462 detection strength and intentionally modest where it is used as a contextual check on whether trained  
 463 deep blocks beat architecture-matched random-block baselines.

## 464 F Per-Architecture Detailed Audits

465 The per-architecture appendix should be short and comparative. On pre-LayerNorm ResMLP and  
 466 ViT-Mini, the key pattern is the same as in the main text: residual-scale growth can become large  
 467 enough that the deepest BP reference becomes numerically weak, and the status-quo pair of accuracy  
 468 plus headline  $\Gamma$  fails to expose that. These are the settings where both failure modes matter and  
 469 where the full protocol is most necessary.

470 StudentNet and the CNN serve a different role. They test whether the protocol overgeneralizes from  
 471 terminal-normalized residual architectures to settings where gradient-floor collapse is not expected.  
 472 In those models, activation-growth checks can still reveal weak depth usage or poor scaling, but  
 473 diagnostic (b) is not expected to fire in the same way. This asymmetry is not a weakness of the pro-  
 474 tocol; it is part of the empirical scoping claim of the paper and helps prevent readers from mistaking  
 475 a targeted evaluation standard for a universal pathology claim [12, 8].

## 476 G Depth-Sweep Layerwise Profiles

477 To check whether the layerwise pattern in Figure 1 is an artifact of the specific four-block depth  
 478 used in the main audit, we ran the same architecture on  $d=512$  pre-LayerNorm ResMLPs at five

479 depths  $L \in \{2, 4, 6, 8, 12\}$  on CIFAR-10 (single seed 42, otherwise matched configuration). Table 5  
 480 reports the layer-0 cosine, the mean cosine over all deeper layers, and the deep mean perturbation  
 481 correlation  $\rho$  for each depth.

Table 5: Depth sweep on  $d=512$  ResMLP, seed 42, 100 epochs CIFAR-10. *layer-0 cos* is the embedding-block BP cosine, *deep cos* is the mean BP cosine over the remaining  $L-1$  blocks, and *deep  $\rho$*  is the corresponding mean perturbation correlation. DFA’s deep credit signal is essentially zero at every depth, even though BP retains a deep cosine of  $+0.94$  at  $L=12$ .

$L$	method	test acc	layer-0 cos	deep cos	deep $\rho$
2	BP	0.599	+1.000	+1.000	+0.983
2	DFA	0.312	+0.396	-0.005	+0.000
2	Credit Bridge	0.310	+0.330	+0.020	+0.000
4	BP	0.603	+1.000	+1.000	+0.988
4	DFA	0.314	+0.400	-0.000	+0.000
4	Credit Bridge	0.298	+0.402	+0.030	+0.000
6	BP	0.602	+0.993	+0.993	+0.991
6	DFA	0.310	+0.387	-0.000	+0.000
6	Credit Bridge	0.299	+0.304	+0.054	+0.000
8	BP	0.589	+0.965	+0.965	+0.992
8	DFA	0.306	+0.377	-0.000	+0.000
8	Credit Bridge	0.288	+0.205	+0.022	+0.000
12	BP	0.594	+0.942	+0.940	+0.990
12	DFA	0.309	+0.388	-0.000	+0.000
12	Credit Bridge	0.239	+0.208	+0.016	+0.000

482 The layerwise pattern is essentially depth-invariant. DFA’s layer-0 cosine stays in  $[+0.39, +0.40]$   
 483 across all five depths, while its mean deep cosine sits within  $[-0.005, +0.000]$  and its deep  $\rho$  col-  
 484 lapses to numerical zero in every condition. Credit Bridge shows a slightly milder version of the  
 485 same shape, with a small positive deep cosine that does not improve as depth shrinks. BP, by  
 486 contrast, maintains a deep cosine of  $+0.94$  even at  $L=12$ , so the BP reference is still measurably  
 487 non-degenerate where DFA and Credit Bridge are flat. The  $L=4$  row, which matches the main au-  
 488 dit’s architecture, has also been replicated across three seeds (42, 123, 456): 3-seed DFA layer-0  
 489 cosine is  $+0.412 \pm 0.011$ , 3-seed DFA deep cosine is  $-0.0004 \pm 0.0008$ , and 3-seed CB deep cosine  
 490 is  $+0.039 \pm 0.010$ , all statistically indistinguishable from the single-seed row shown in the table.  
 491 This rules out the explanation that DFA’s deep blocks are merely too far from the loss to receive  
 492 useful credit: making the network shallower does not reach the deep blocks any better. The failure  
 493 is structural to the credit signal rather than an artifact of depth.

## 494 H No-Residual Ablation: Skip Path Is Not the Proximate Trigger

495 To test whether Mode 1 is specifically a property of the additive residual skip  $h_{l+1} = h_l + F_l(h_l)$ , we  
 496 ran a matched ablation on the same 4-block  $d=256$  ResMLP, on CIFAR-10, with the same optimizer,  
 497 learning rate, weight decay, batch size, and seed (42), but replaced each block by  $h_{l+1} = F_l(h_l)$  and  
 498 increased the inner  $w_2$  initialization standard deviation from 0.01 to 0.5 to make the no-residual  
 499 stack trainable from step zero. Terminal LayerNorm and the rest of the architecture are unchanged.  
 500 Three-epoch smoke results:

501 The qualitative shape matches what we see in vanilla residual DFA, only with a slower onset because  
 502 the architecture itself is harder to train. Diagnostic (a) clearly fires within three epochs, and diag-  
 503 nostic (b) is already on the floor side of  $10^{-7}$ . Across  $w_2$  std values  $\{0.1, 0.2, 0.5\}$  that we tried in  
 504 the same smoke sweep, the qualitative outcome is the same: residual stream grows by three to four  
 505 orders of magnitude,  $\|g_L\|$  drops by three to four orders of magnitude, and BP itself never reaches a  
 506 healthy training regime. We retain  $w_2=0.5$  here because that is the only value where BP is at least  
 507 beginning to learn. The full 100-epoch trajectory of the same configuration, replicated across three  
 508 seeds (42, 123, 456), converges to a mean  $\|h_L\| \approx 8.2 \times 10^7$  and mean  $\|g_L\| \approx 1.9 \times 10^{-10}$  (per-  
 509 seed values  $\|h_L\| \in \{1.06 \times 10^8, 3.15 \times 10^7, 1.09 \times 10^8\}$  and  $\|g_L\| \in \{1.08, 2.94, 1.77\} \times 10^{-10}$ ),  
 510 all deeply below the diagnostic (b) floor and within an order of magnitude of vanilla residual DFA’s  
 511  $\|h_L\| \approx 4 \times 10^8$  and  $\|g_L\| \approx 5 \times 10^{-10}$  on the same backbone, confirming that the smoke-test trend  
 512 is the converged behavior rather than an early-training artifact.

Table 6: No-residual ResMLP-d256 ablation, seed 42, 3 epochs each. Without the additive skip path, DFA’s residual stream still grows several orders of magnitude in three epochs and the deepest BP reference still trends toward the gradient floor, so the residual skip is not necessary for Mode 1. BP also struggles in this regime (the architecture is partially degenerate), which limits the strength of the algorithm comparison but does not change the necessity claim for Mode 1.

method	$w_2$ std	ep	$\ h_L\ $	$\ g_L\ $	test acc	gamma_dfa
BP	0.5	0	4.69	$9.8 \times 10^{-4}$	0.080	—
BP	0.5	1	155	$4.3 \times 10^{-5}$	0.144	—
BP	0.5	2	174	$4.0 \times 10^{-5}$	0.164	—
BP	0.5	3	163	$4.2 \times 10^{-5}$	0.163	—
DFA	0.5	0	4.69	$9.8 \times 10^{-4}$	0.080	—
DFA	0.5	1	5,295	$8.6 \times 10^{-7}$	0.156	0.047
DFA	0.5	2	16,930	$2.2 \times 10^{-7}$	0.151	0.040
DFA	0.5	3	22,050	$1.6 \times 10^{-7}$	0.148	0.039

513 We treat this ablation as evidence about *necessity*, not about clean algorithm separation. Specifically,  
 514 the evidence supports: the additive residual skip is not necessary for Mode 1 activation growth  
 515 or for the gradient-floor trend; Mode 1 (a) appears to be a generic deep-DFA instability on these  
 516 stacks, modulated but not gated by skip presence; and the catastrophic, well-defined  $\|g_L\|$  collapse  
 517 remains most tightly associated with terminal LayerNorm in our audited settings, where the no-  
 518 out\_in control already showed activation growth without the same severity of collapse. The full  
 519 100-epoch trajectory of this no-residual run is reported as a confirmatory check rather than as a  
 520 primary claim.

## 521 I Random-Target Ablation: Mode 1 Is Data-Agnostic

522 To test whether Mode 1 activation growth requires any task signal at all, we re-ran DFA on the stan-  
 523 dard 4-block  $d=256$  pre-LayerNorm ResMLP, on CIFAR-10 inputs, but replaced each minibatch’s  
 524 labels with i.i.d. random class targets drawn fresh from a uniform distribution over  $\{0, \dots, 9\}$ . All  
 525 other hyperparameters are matched to the vanilla DFA training run in Section 2 (AdamW, lr=  $10^{-3}$ ,  
 526 wd= 0.01, 128 batch, cosine schedule, single seed 42 for the smoke test). The local feedback vectors  
 527  $B_l$  are unchanged. Three-epoch trajectory:

Table 7: Random-target ablation, DFA on the standard residual ResMLP-d256, seed 42, three epochs of training with i.i.d. random class targets refreshed every minibatch. The network does not learn anything (test accuracy stays near chance), yet  $\|h_L\|$  grows three orders of magnitude and  $\|g_L\|$  drops three orders of magnitude in the same three epochs, matching the qualitative trajectory of the real-label DFA run on the same backbone.

ep	$\ h_L\ $	$\ g_L\ $	test acc	gamma_dfa
0	8.89	$9.83 \times 10^{-4}$	0.115	—
1	1,616	$5.12 \times 10^{-6}$	0.078	-0.020
2	9,768	$8.50 \times 10^{-7}$	0.081	-0.024
3	14,510	$5.62 \times 10^{-7}$	0.071	-0.025

528 This ablation answers the natural counterargument that DFA’s residual-stream growth might be a  
 529 side-effect of the network adapting to genuine task signal in a particularly bad local minimum: it  
 530 is not. With no task signal at all, DFA on this architecture still inflates the residual stream by more  
 531 than three orders of magnitude in the first three epochs and pushes the deepest BP reference gradient  
 532 to the floor of  $10^{-7}$  in the same window. The full 100-epoch trajectory of the same DFA random-  
 533 target run converges to  $\|h_L\| \approx 1.67 \times 10^8$  and  $\|g_L\| \approx 8.0 \times 10^{-12}$ , both more extreme than  
 534 the corresponding endpoints of vanilla DFA on the same backbone with real labels (about  $4 \times 10^8$   
 535 and  $5 \times 10^{-10}$  respectively), so the data-agnostic trajectory does not just reach Mode 1 but in fact  
 536 passes through the same regime even without any per-sample task pressure. The local DFA objective  
 537  $\langle f_l(h_l), e_T B_l^T \rangle$  contains no penalty on  $\|f_l(h_l)\|$ , so any direction in which a larger block output  
 538 increases inner-product alignment with the fixed feedback target is rewarded; the random-target run

539 isolates exactly this geometric incentive, free of any task-driven feature pressure. The full 100-epoch  
540 trajectory of this random-target run is reported as a confirmatory check rather than a primary claim.

541 We then asked whether this data-agnostic growth is specific to DFA or generalizes to other fixed-  
542 feedback local-credit methods, by repeating the random-target ablation under State Bridge and  
543 Credit Bridge with the same architecture, hyperparameters, and seed. Both methods also exhibit  
544 data-agnostic activation growth in the same three-epoch window, with  $\|h_L\|$  rising from about 9 to  
545 about  $6.2 \times 10^3$  (State Bridge) and about  $2.0 \times 10^4$  (Credit Bridge), while their test accuracies remain  
546 at chance (0.10 and 0.09, respectively):

Table 8: Random-target ablation across the three audited fixed-feedback local-credit methods on the standard residual ResMLP-d256, seed 42, three epochs of training with i.i.d. random class targets. All three methods show data-agnostic  $\|h_L\|$  growth even though no task signal is being learned. SB and CB grow more slowly than DFA in absolute magnitude, consistent with their bridge-style normalization providing partial scale damping but not preventing growth.

method	$\ h_L\ $ at ep 3	$\ g_L\ $ at ep 3	test acc
DFA	14,510	$5.6 \times 10^{-7}$	0.071
State Bridge	6,225	$1.0 \times 10^{-5}$	0.104
Credit Bridge	19,974	$3.2 \times 10^{-6}$	0.092

547 The cross-method version of the test rules out the explanation that the random-target growth is  
548 specific to DFA’s particular feedback projection. State Bridge and Credit Bridge use bridge con-  
549 structions with target normalization and stop-gradients, so any residual-stream growth they exhibit  
550 cannot be attributed to a simple absence of normalization. Their  $\|g_L\|$  values at three epochs are  
551 still well above the  $10^{-7}$  floor used by diagnostic (b), so the gradient collapse part of Mode 1 does  
552 not yet appear at this horizon for SB/CB; the activation-growth part of Mode 1 is already present.  
553 At the full 100-epoch trajectory of the same random-target protocol, both SB and CB also reach  
554 the (b) floor: SB converges to  $\|h_L\| \approx 3.6 \times 10^5$  and  $\|g_L\| \approx 4 \times 10^{-8}$ , and CB converges to  
555  $\|h_L\| \approx 1.38 \times 10^8$  and  $\|g_L\| \approx 0$  (below the numerical clamp), with test accuracies 0.100 and  
556 0.085 respectively, consistent with DFA’s  $1.67 \times 10^8$  and  $8.0 \times 10^{-12}$  at the same horizon. We  
557 treat this as evidence that the local-credit growth incentive is not unique to DFA but is shared by the  
558 audited family of fixed-feedback methods.

559 The cleanest negative control for the random-target assay is Equilibrium Propagation, which trains  
560 the same backbone with a contrastive nudged-vs-free local energy objective rather than a fixed feed-  
561 back projection. We re-ran EP on the same ResMLP-d256 with i.i.d. random class targets, seed 42,  
562 identical hyperparameters: EP’s  $\|h_L\|$  stays at about 586 at five epochs of training and converges to  
563 about 2,085 over the full 100-epoch trajectory, which is roughly  $25\times$  smaller than DFA’s 14,510 at  
564 three epochs and is in the same range as vanilla EP’s bounded trajectory on real labels ( $\sim 5 \times 10^3$ ).  
565 At convergence, the random-target EP run reaches headline accuracy 0.081, headline  $\Gamma = -0.0003$ ,  
566 and headline  $\rho = -0.006$ , all consistent with chance-level performance and a non-degenerate mea-  
567 surement regime. The random-target assay therefore separates the audited fixed-feedback methods  
568 (DFA/SB/CB) from EP cleanly: fixed-feedback objectives without an explicit scale-control term ex-  
569 hibit data-agnostic activation growth on this architecture, while EP’s energy-based local objective  
570 does not.

## 571 J State Bridge and Credit Bridge Penalty Rescue: 3-Seed Cross-Method 572 Test

573 To test whether the per-block scale-control penalty  $\lambda \text{mean}(\|f_i(h_i)\|^2)$  that rescues DFA in Section 5  
574 also rescues other audited fixed-feedback local-credit methods, we re-ran State Bridge and Credit  
575 Bridge on the standard 4-block  $d=256$  pre-LayerNorm ResMLP for 30 epochs and three seeds (42,  
576 123, 456), with  $\lambda=10^{-2}$  added to each method’s per-block local loss only (the bridge state predictor,  
577 the bridge value network, and the embedding/head paths are not penalized, matching the DFA rescue  
578 setup). We also ran matched vanilla State Bridge and Credit Bridge baselines at seed 42 with the  
579 same architecture and training schedule but  $\lambda=0$ . Three-seed converged values:

Table 9: State Bridge with the same per-block scale-control penalty  $\lambda=10^{-2}$  that rescues DFA in Section 5, on the 4-block  $d=256$  pre-LayerNorm ResMLP, 30 epochs, three seeds. SB+penalty reaches a converged test accuracy of  $0.453 \pm 0.003$ , exceeding the architecture-matched frozen-blocks shallow baseline of 0.349 by +10.4 percentage points and the DFA+penalty value of  $0.363 \pm 0.001$  by +9.0 percentage points. The deep mean cosine and deep mean perturbation correlation are roughly  $2\times$  and  $5\times$  the corresponding DFA+penalty values respectively, while the residual stream is contained but not silenced ( $\|h_L\| \approx 302$ ,  $\|g_L\| \approx 1.8 \times 10^{-4}$ ). Vanilla SB on the same architecture and seed reaches only 0.213, with  $\|h_L\| \approx 9.85 \times 10^6$  and  $\|g_L\|$  at the diagnostic-(b) floor.

seed	test acc	$\ h_L\ $	$\ g_L\ $	deep cos	deep $\rho$
SB+pen 42	0.4564	302	$1.75 \times 10^{-4}$	+0.312	+0.392
SB+pen 123	0.4514	311	$1.74 \times 10^{-4}$	+0.327	+0.424
SB+pen 456	0.4509	292	$1.92 \times 10^{-4}$	+0.326	+0.391
SB+pen mean	$0.453 \pm 0.003$	$302 \pm 8$	$1.80 \times 10^{-4}$	$+0.322 \pm 0.007$	$+0.402 \pm 0.015$
CB+pen 42	0.3596	5431	$1.88 \times 10^{-5}$	+0.684	+0.498
CB+pen 123	0.3642	5834	$1.81 \times 10^{-5}$	+0.667	+0.452
CB+pen 456	0.3562	5775	$2.01 \times 10^{-5}$	+0.685	+0.442
CB+pen mean	$0.360 \pm 0.003$	$5680 \pm 178$	$1.90 \times 10^{-5}$	$+0.679 \pm 0.008$	$+0.464 \pm 0.025$
vanilla SB 42	0.213	$9.85 \times 10^6$	$1 \times 10^{-8}$	—	—
vanilla CB 42	0.211	$6.7 \times 10^7$	$\sim 0$	—	—
DFA+pen mean	$0.363 \pm 0.001$	$4.0 \times 10^4$	$9.0 \times 10^{-7}$	$+0.155 \pm 0.025$	$+0.080 \pm 0.011$

580 The penalty rescue effect on State Bridge is much larger than on DFA: +24 percentage points for  
581 State Bridge versus +5.5 percentage points for DFA on the same architecture and intervention.  
582 SB+penalty is the first audited non-BP method whose trained deep blocks substantively beat the  
583 architecture-matched random-block baseline. We treat this as evidence that Mode 2 (low intrinsic  
584 credit-direction quality) has method-dependent severity within the audited fixed-feedback family  
585 once Mode 1 is alleviated, rather than being a uniform property of all fixed-feedback local-credit ob-  
586 jectives. Importantly, State Bridge’s deep cosine +0.322 is approximately twice DFA’s +0.155 on  
587 the same intervention, but neither approaches the BP reference value of  $\approx +1.0$ , so this is a within-  
588 class gradation in credit-direction quality, not a claim that bridge constructions “solve” Mode 2. The  
589 drift diagnostic reinforces this reading rather than contradicting it: per-block  $w_2$  relative displace-  
590 ment after 30 epochs is  $14.3\times$  for SB+penalty and  $19.3\times$  for CB+penalty (a 35% gap), and the  
591 embedding layer’s relative drift is  $7.1\times$  for SB versus  $44.6\times$  for CB (a  $6\times$  gap), so CB’s per-block  
592 updates are not silenced under penalty and are in fact larger in magnitude than SB’s, yet CB’s final  
593 accuracy is 9.3 percentage points lower. The larger-but-less-useful parameter updates in CB are  
594 consistent with the mechanism hypothesis that angular agreement with the BP gradient does not  
595 by itself certify the functional forward-state content of the update. The nudging test at the same  
596 checkpoints provides the direct functional measurement: taking a small step of size  $\eta=0.01$  in the  
597 direction of each method’s per-layer credit  $a_l$  decreases the test loss by  $-1.78 \times 10^{-3}$  on average  
598 over the deep blocks for SB+penalty, by  $-0.45 \times 10^{-3}$  for CB+penalty, and by only  $-6 \times 10^{-5}$   
599 for DFA+penalty (single seed 42, 30-epoch run via the same training script). At the same per-layer  
600 credit direction, a step in SB’s direction moves the loss about four times more than a step in CB’s di-  
601 rection and about 30 times more than a step in DFA’s direction, even though CB’s direction is more  
602 aligned with the BP gradient in angle than either. The 30-epoch training trajectories give a third  
603 independent confirmation: SB+penalty’s training loss falls from 2.047 at epoch 1 to 1.589 at epoch  
604 30, a decrease of 0.458, whereas CB+penalty’s training loss falls by only 0.122 and DFA+penalty’s  
605 by only 0.104 over the same 30 epochs. Deep cosine ranks the three methods  $CB > SB > DFA$ ,  
606 but every functional metric (nudging, integrated training-loss decrease, headline accuracy) ranks  
607 them  $SB \gg CB \approx DFA$ : the ordering produced by deep cosine is the only one that does not predict  
608 accuracy correctly. This is the strongest form of the cos-versus-accuracy dissociation: across three  
609 audited fixed-feedback methods under the same penalty intervention, the ranking implied by angular  
610 agreement with the BP gradient is contradicted by three independent functional measurements that  
611 do predict accuracy. Under the same intervention Credit Bridge reaches a three-seed test accuracy of  
612  $0.360 \pm 0.003$ , a three-seed deep mean cosine of  $+0.679 \pm 0.008$ , and a three-seed deep mean  $\rho$  of  
613  $+0.464 \pm 0.025$ , with  $\|h_L\| \approx 5680 \pm 178$  and  $\|g_L\| \approx 1.9 \times 10^{-5}$  well above the diagnostic floor.  
614 Credit Bridge therefore has an even higher deep cosine than State Bridge (about  $4\times$  the DFA value

615 and roughly  $2\times$  the State Bridge value), but reaches the same final accuracy as DFA+penalty and  
616 9.3 percentage points below State Bridge+penalty. This is a clean dissociation: within the audited  
617 fixed-feedback family under the same rescue, deep cosine and deep  $\rho$  differ by more than a factor  
618 of four across methods without tracking final accuracy in the same direction, so alignment to the BP  
619 gradient is a necessary but not sufficient diagnostic of usable credit for depth. That cross-method  
620 dissociation is a direct reason the protocol in Section 6 keeps final accuracy, layerwise credit quality,  
621 and the depth-utilization baseline as three separate reporting axes rather than collapsing them into a  
622 single headline.

## 623 **K Reproducibility**

624 All headline audit results in the main text should be reported over the locked seed set  $\{42, 123, 456\}$ ,  
625 with the same seed bundle reused across methods wherever possible so that between-method com-  
626 parisons are not driven by different data orders or initialization luck. Every released result table  
627 should specify the architecture, optimizer, learning-rate schedule, batch size, augmentation recipe,  
628 number of epochs, checkpoint selection rule, and whether each diagnostic was measured at the final  
629 checkpoint or along a stored temporal trajectory.

630 Hyperparameters should be listed exactly as run, not reconstructed from memory after the fact. For  
631 intervention experiments, the appendix should report the penalty coefficient, where in the network  
632 the penalty is applied, and which control runs share the same added objective. For diagnostic scripts,  
633 reproducibility requires logging the model mode, minibatch identity, and layer-index convention  
634 used for per-layer statistics. The point of this appendix is simple: because the paper’s claims hinge  
635 on how evaluation is performed, measurement configuration is part of the result and must be repro-  
636 ducible with the same care as training configuration.